



Case Study

Leading Telcos Monitor Network Operations and Customer Experience with Anodot; Saving Millions of Dollars Annually

Autonomous Telco Monitoring ROI

\$10.3M-\$39.7M

saved annually by early detection of incidents*

89%-97%

reduction in time to detection

90%

reduction in total number of alerts

75%

reduction in the number of non-actionable alerts

50%

reduction in workload on support operations

30%

improvement in customer satisfaction scores

* For a telco operator with annual revenues of \$1B



What Telco customers say about Anodot

Identify bottlenecks and drive improvements



"Anodot dramatically streamlined our process. Collecting more granular data throughout the incident lifecycle helped us identify bottlenecks and drive improvements. We could pinpoint the root cause of issues with certainty, saving frustration and critical staff resources."

Antal Kovácsovics

Head of IT Service Management Centre at Telekom HU

Decrease operational complexity and solve incidents sooner

"We have a great collaboration with Anodot. Their automatic detection gives us prior warning about possible incidents an hour or two before they create an impact on customer experience, and allows us to quickly capture and address these problems."



Dr. Kim Kyllesbech Larsen
CTIO at T-Mobile Nederland

Optimize customer experience and business operations



"We find Anodot's technology invaluable in identifying issues and opportunities buried deep in the data streams of different business and IT sources to optimize our customer experience and our business."

Jason Wong

Director of Network Analytics at Optus

Modern telco networks are too complicated for manual monitoring

Telco infrastructure is a complex heterogeneous network. Typically, a wireless network has tens of thousands of base stations, a few hundred thousand cells, thousands of sites operating multiple frequency bands, multiple flavors of transport networks (Microwave, Ethernet, optical), thousands of core network nodes, multiple service networks (SMS, MMS, voice), network policy engines, Internet peering links, Content Delivery Networks (CDNs) and many other network elements.

In order to optimize operations, ensure availability and reliability and deliver more business value, Telcos need to stay on top of hundreds of metrics.

But with the ongoing growth in operational complexities, effectively managing and monitoring connections, devices, radio networks, current and legacy core networks, services, and transport and IT operations is becoming a radical challenge.

As networks become increasingly complex and service providers plan for more complicating factors — new devices on the network, 5G, increased cloud-based services and more — operators want to reduce manual monitoring and increase network automation.

Reducing opex and incident costs with Autonomous Monitoring

Despite the fact that networks are being built with nodal and geographic redundancies, telecom networks nonetheless suffer a variety of outages and network incidents. These incidents impact network, business, and customer experience management operations.

Distribution of Telco Incidents as a percentage of Total Incident Costs



According to a 2013 report from telecom research firm [Heavy Reading](#), these incidents cost the world's mobile operators around \$15B a year, or an average of 1.5%-5% of their annual revenues. These figures are growing year over year.

For a telco operator with an annual revenues of \$1B, annual incident costs can range between \$11.6M-\$41.1M, depending on the types of systems used for monitoring. The table below shows the impact of undetected and late detected incidents drawn from actual results of Anodot's telecom customers. Of particular note are the cost of medium- and low-severity anomalies. These far outweigh the cost of high severity anomalies. Lower severity anomalies are frequently harder to detect and last longer than their high severity counterparts, thus having a greater impact on true costs over time.

***Annual Telco Incident Costs and Savings with
Anodot's Autonomous Monitoring
For a telco operator with annual revenues of \$1B***

Incident Impact >>	High	Med	Low	Total
Avg. number of Incidents per Year	12	36	192	240
Revenue Loss per Minute	\$32,610	\$3,260	\$870	
Static Thresholds				
Avg. TTD	48 min	76 min	80 min	
Incidents Cost	\$18,783,360	\$8,919,360	\$13,363,200	\$41,065,920
Competitor's Anomaly Detection				
Avg. TTD	14 min	21 min	22 min	
Incidents Cost	\$5,478,480	\$2,464,560	\$3,674,880	\$11,617,920
Anodot's Autonomous Monitoring				
Avg. TTD	2 min	2 min	2 min	
Incidents Cost	\$782,640	\$234,720	\$334,080	\$1,351,440
Anodot Savings over Static Thresholds	\$18,000,720	\$8,684,640	\$13,029,120	\$39,714,480
Anodot Savings over Competitor's Anomaly Detection	\$4,695,840	\$2,229,840	\$3,340,800	\$10,266,480

Based on actual results of Anodot's telecom customers

Improving overall time to detect invariably leads to quicker resolution of incidents and thus results in reduced costs associated with outages, and aids in the prevention of lost revenue and brand impact. According to a recent [Cisco report](#), the automation of incident management can reduce opex costs by 3-7%. Cisco's figure lines up with our own ROI calculations based on our customer data. Anodot saves its telco customers anywhere between \$10.3M-\$39.7M annually by early detection of incidents and the prevention of revenue loss.

In addition to the significant cost savings outlined above, telecom operators using Anodot's autonomous monitoring solution typically experience:

- **89%-97% reduction in time to detection when compared to alternative approaches**
- **90% reduction in the total number of alerts**
- **75% reduction in the number of non-actionable or false positive alerts**
- **50% reduction in load on support attributable to the reduction of alerts, proactive detection of incidents and root cause analysis**
- **30% improvement in customer satisfaction scores**

Autonomous Telco Monitoring

Anodot is capable of ingesting data from siloed network operations and customer experience systems, and autonomously analyzing millions of KPIs using patented algorithms to provide early detection across the entire telco ecosystem. Anodot delivers the right alerts to the right stakeholders, saving valuable investigative time and accelerating root cause detection through anomaly and event correlation.

Over the course of the past 12 months, several large telco operations have been using Anodot's autonomous monitoring technology for the fastest detection and resolution of incidents across OSS and CEM operations.



OSS Monitoring

Anodot is used by telcos to monitor their network operations at scale, including:

- Radio Access Network (RAN), where failures in any part of the RAN networks must be quickly and accurately assessed so that field teams can be coordinated to deal with the root cause quickly.
- Transport Networks, where degradations such as increase in packet loss, increase in jitter, and latency often have direct impact on subscriber experience.
- Core Networks, complex multi-vendor networks with multiple scenarios, multiple interactions and interfaces—making them impossible to monitor using traditional dashboards, alarms and thresholds.
- Service Networks, where degradations are quickly noticed by end-users and impact brand image and subscriber experience.
- Fixed Broadband Access Networks, complicated mix of technologies such as fiber to the premise/node/curb, DSL, HFC, WiFi and even Satellite Broadband. In each of these cases, subscriber uplink and downlink throughput drops, packet loss, modem resets, and many other KPIs need to be monitored in real time to ensure the most significant anomalies are discovered rapidly to avoid unnecessary and expensive truck-rolls.

CEM Monitoring


On the Customer Experience Management side, Anodot is used by leading telcos to monitor customer engagement, usage patterns, inbound and outbound roaming, and voice, data and video experience to deliver better customer experience.

A Year of Spot-on Alerts

Below is a selection of incidents exposed by Anodot, helping its telco clients to save costs and cut losses while maintaining their networks in prime operational mode and increasing customer satisfaction.

RAN Network Operations


Anodot alerted relevant stakeholders monitoring the company's RAN to a spike in EDROP fail rate across the network. Anodot correlated the spike with a parallel spike in Cell Availability outage and a drop in RRC. By creating the context needed for fast resolution, Anodot enabled the company to resolve the issue with minimal impact to the bottom line.



Roaming Analytics


Anodot alerted the teams monitoring the company's RAN to a drop in data volumes for inbound roamers from Thailand, Malaysia, and Indonesia. Anodot correlated the drop with parallel drops in DNS access success rates for the corresponding regions. Anodot

identified the incident in less than an hour and enabled the company to resolve the issue quickly.




LTE Traffic Mapping

Anodot alerted relevant stakeholders to multiple drops in VoLTE Erlang across several sectors. Anodot showed the correlated drops using Anomap, an intuitive map-based interface that provides situational and spatial awareness and a quick summary of all the key dimensions related to the affected KPI. Anomap provided the network operations team with the context needed for fast resolution, enabling them to resolve a critical issue that was impacting multiple sites with minimal effect to the bottom line.



Customer Portal Login

Anodot alerted CEM stakeholders to a spike in login time for their customer portal. Anodot identified the anomaly and alerted the customer within 1 minute. The customer was able to redirect subscribers to another server, avoiding customer complaints, lost revenue, and saving 2 hours of outage for the customer portal.



Packet Loss

Anodot alerted relevant stakeholders about a spike in first data delay for subscribers using Youtube, Facebook and Whatsapp. Anodot correlated the spike with a parallel spike in packet loss and a drop in service access success rate. By creating the context needed for fast resolution, Anodot quickly identified the issue and provided the necessary context to resolve the issue before customer complaints could roll in.



Optimize Telco operations with lightning-fast incident detection

ML-based anomaly detection is key for ensuring that network support systems can keep pace with the high level of service required for mission-critical applications. To deliver on customers' high expectations and maintain and improve quality of service, early detection of service degradation and network failures is critical. Human-centric approaches like dashboards and static thresholds are not scalable, efficient or cost-effective enough to meet this challenge.

AI enables the transformation of traditional network and service operations towards AI-driven automation and intelligent operations. AI effectively augments and automates early detection, predictions and decision-making in operations and in business processes where humans can't deal with the volume or velocity of data.

AI-based use cases address the following business needs:

- **Network optimization** – giving telecom companies the ability to identify the root causes of complications in network operations; identifying potential faults and their root causes in LTE, 3G, and 5G networks before they generate impacts or outages; establishing closed-loop service assurance to continuously improve the service quality and efficiency; accurately monitoring the service levels, optimizing customer interactions, network design, planning, operations and more to allow for optimized CAPEX and OPEX resource allocations.
- **Better customer experience management** – such as predicting churn, increasing engagement, optimizing network for usage patterns, inbound and outbound roaming analytics, and enhancing voice, data and video experience, etc.

In the network operations context, every network generates millions of time series data, measuring all aspects of the network. Anomalies can cause service degradations and system-wide outages/incidents. Therefore, discovering these anomalies and identifying the technical root cause to fix incidents is a key objective of network operations. Autonomous anomaly detection minimizes time spent looking for issues, leaving more time to focus on resolution.

Anodot's Deep 360™ monitoring technology makes these use cases a reality and helps telecom operators monitor their existing infrastructure in a more automated fashion. Anodot uses a patented ML approach to monitor 100% of your data, learn every metric's behavior, even tracking cross-platform data throughout the telecom enterprise, and provide spot-on alerts for critical failures.